

MUELLER

300™ BALL VALVES

Industry-Leading 300 psi Low Lead Ball Valves



MUELLER

THE BALL VALVE DESIGNED FOR 300 PSIG WORKING PRESSURE

Before designing this comprehensive line of ball valves, we looked at the needs of the marketplace.

We studied existing designs to see how well those needs were being met. And, most importantly, we asked valve users across the country what they wanted in a ball valve.

The result is the Mueller® 300 Ball Valve, a comprehensive line of valves with distinct features which set them apart from the competition.

Mueller ball valves are available in corporation, curb, service, in-line meter and angle meter styles, with a full selection of connection options, including Mueller 110® Compression Connections.

300 BALL VALVES

YOUR ASSURANCE OF QUALITY, DEPENDABLE BALL VALVES

CONSIDER THESE SPECIAL ADVANTAGES OF MUELLER BALL VALVES

- 300 psig working pressure—the highest in the industry, far exceeding AWWA standards; 300 psig working pressure allows your system to grow and handle increased pressures
- Longevity—designed for strength and durability, especially at the critical ball-to-stem connection
- Blow-out-proof stem—prevents stem ejection and assures reliability
- True bi-directional flow capability in all styles
- Quarter-turn check is located under the valve cap. Location and strength of material around the check help prevent breakage or leaks should over-torquing occur
- The enlarged cap on curb valves is easy to locate and turn in the curb box or pit. The cap's sloping shoulders shed dirt to aid operating wrench engagement

MUELLER STANDS FOR QUALITY AND SERVICE

Our priority is manufacturing quality, dependable, competitively priced products—products that install properly, perform as expected and are easy to maintain.

Every ball valve we make is tested before shipment to verify performance. Our nationwide network of distributors has a thorough knowledge of the waterworks industry.

Add a network of Mueller field sales and customer service representatives, and you are assured that assistance is always available should you need it.



300 BALL VALVES

Your Assurance of Quality, Dependable Ball Valves

CORPORATION BALL VALVES

Mueller corporation ball valves offer reliable service, and are available with either CC or iron pipe thread inlets specially matched to Mueller drilling and tapping tools to assure leak-tight installation. Corporation ball valves are easy to install and require no adjustment for easy turning.

SIZES

- Sizes: $\frac{3}{4}$ " , 1" , $1\frac{1}{2}$ " , 2"

CONNECTION COMBINATIONS

- Inlets: CC, IP
- Outlets: Mueller 110 Compression Connections for either CTS tubing or IPS pipe, copper flare, pack joint (CTS, PEP, PVC), Mueller Grip, and male and female iron pipe thread



CURB BALL VALVES

You can specify a Mueller curb ball valve with the confidence it will provide years of trouble-free service without replacement or special attention, helping to control rising maintenance costs. Mueller curb valves offer premium quality, long-term durability, dependability and performance. Valves are available with or without a locking wing. Stop and draw option available.

SIZES AND CONNECTIONS

- Sizes: $\frac{3}{4}$ "** , 1"**, $1\frac{1}{2}$ " , 2"
- Inlet/outlet connection combinations: Mueller 110 Compression Connections for either CTS tubing or IPS pipe, copper flare, pack joint (CTS, PEP, PVC), Mueller Grip, and male and female iron pipe thread
- The Minneapolis-pattern top thread is available on curb ball valves in sizes $\frac{3}{4}$ " through 2"; curb boxes are designed to thread onto Minneapolis-pattern curb ball valves, producing rigid assembly (threads are notched to allow water to drain from box)



IN-LINE METER AND SERVICE BALL VALVES

Mueller in-line meter ball valves may be specified for all types of commercial and residential meter installations. They are easy to operate and offer reliable performance over many years.

SIZES AND CONNECTIONS

- Meter sizes (outlets): $\frac{5}{8}$ " , $\frac{5}{8}$ " x $\frac{3}{4}$ " or $\frac{3}{4}$ " , 1" , $1\frac{1}{2}$ " , 2; up to 1" are meter swivel nut; $1\frac{1}{2}$ " and 2" are two-bolt meter flange
- Inlet sizes: $\frac{3}{4}$ "** , 1"**, $1\frac{1}{2}$ " , 2"
- Inlet/outlet connection combinations: Mueller 110 Compression
- Connections for either CTS tubing or IPS pipe, copper flare, pack joint (CTS, PEP, PVC), Mueller Grip, male and female iron pipe thread, meter swivel nut, and two-bolt meter flange
- Many different lengths of FIP x flare and FIP x FIP styles especially suited for retro-fit applications are available; contact your authorized Mueller Distributor, Mueller Sales Representative, or Customer Service Center for more information



300 BALL VALVES

Your Assurance of Quality, Dependable Ball Valves

ANGLE METER AND SERVICE VALVES

Mueller angle meter ball valves utilize a unique design that provides effective sealing, with flow from either direction. A second valve may be installed downstream from the meter, allowing meter changeouts without pit flooding.

These valves are also available on Mueller copper meter yokes. Critical centerline-to-end dimensions of the angle meter ball valve are the same as the Mueller ground key angle meter stops, assuring interchangeability of existing meter installations.

SIZES AND CONNECTIONS

- Meter sizes (outlets): $\frac{5}{8}$ ", $\frac{5}{8}$ " x $\frac{3}{4}$ " or $\frac{3}{4}$ ", 1", 1 $\frac{1}{2}$ ", 2". Up to 1" are meter swivel nut; 1 $\frac{1}{2}$ " and 2" are two-bolt meter flange; flanges are double-drilled to accept either 1 $\frac{1}{2}$ " or 2" meters
- Inlet sizes: $\frac{3}{4}$ "**, 1"**, 1 $\frac{1}{2}$ ", 2"
- Inlet/outlet connection combinations: Mueller 110 Compression Connections for either CTS tubing or IPS pipe, copper flare***, pack joint (CTS, PEP, PVC), Mueller Grip, and male and female iron pipe thread



HANDLES

Angle and straight lever handles are available (straight in choice of two lengths) to fit both $\frac{3}{4}$ " and 1" meter valves. A handle coded with the industry standard color for reclaimed water is also available.



OPTIONS

Mueller curb, meter and service valves are available with full port, or reduced port in selected sizes. They are regularly furnished with a quarter-turn check—contact the Mueller Customer Service Center to order optional 360° turn valves. Larger curb valves may be ordered with an integral 2" square wrench nut as an option (a 2" nut is also available as a separate piece that can be pinned to the existing valve cap).


Mueller 300 Ball Valves are available in both angle and in-line styles for use on Mueller cast iron meter bars (with lock nut outlet), and on Mueller cast iron meter yoke boxes. Angle valves are also offered in an extensive selection of Mueller Copper Meter Yokes and Resetters, and in Mueller Meter Boxes. Refer to the Mueller Water Distribution Products Catalog for full details, or contact a Mueller Representative.

* Check the Mueller Water Distribution Products catalog or contact Mueller Customer Service for the availability of specific size and connection combinations.

** Available in reduced port style.

*** Available with FIP outlet option in selected sizes.

DESIGNED & MANUFACTURED TO MEET YOUR NEEDS



- 1 Lockwing**
(When equipped on meter valve) accepts bullet lock
- 2 O-ring**
Ensures a positive seal under full flow and pressure
- 3 Stainless Steel Reinforced Seat Gaskets**
Assure reliable seal under full flow and pressure
- 4 Stem/Ball Connection**
Optimized for strength to resist shearing or twisting

- 5 Straight-Through Design**
Of in-line valves allows maximum flow and minimum pressure loss
- 6 Full Thread Depth**
Ensures smooth operation
- 7 Double-Stem O-rings**
Supported in machined grooves for secure, leak-tight operation

ADDITIONAL FEATURES

- 300 psig working pressure rating
- Quarter-turn valves feature strong checks
- Checkless 360° rotation available
- Wetted components are constructed of low lead brass for strength and durability (meets ASTM and AWWA standards)
- Lever handles available
- Blow-out-proof stem design prevents separation and ensures dependability and safety
- Mueller ball valves are suitable for use as test valves on backflow preventers (in compliance with Notice 89-001 of F.C.C.C. and H.R., which requires blow-out-proof stems)
- Swivel nut on $\frac{3}{4}$ " and 1" meter valves; flange on $1\frac{1}{2}$ " and 2" meter valves

OUR PRODUCTS

Mueller has built its reputation on producing innovative water distribution products of superior quality – a reputation that is literally “on the line” every day throughout the world. Mueller products and those of its affiliates are used throughout the water system...from the source to the consumer. And we are committed to continuing research and development of new products and services to meet the growing needs of the water infrastructure industry. Mueller is the largest and only full-line supplier of potable water distribution products in North America and its markets continue to expand globally.

OUR PEOPLE

The capacity to deliver the widest array of products and stand behind those products to ensure your satisfaction is our strength. The success of Mueller is dependent upon the success of those who are involved, both inside and outside our company. Therefore, we feel our future is wholly dependent on long-term relationships with our employees, customers and suppliers. This is why we strive to be proactive and responsive to their needs, always looking for a “better way”. It’s an approach that has set us apart since 1857 and will assure our mutual achievement and prosperity in the future.

OTHER INNOVATIVE MUELLER PRODUCTS



B-101™ DRILLING AND TAPPING MACHINE

The B-101 Machine is designed for hand or power operation. It will drill and tap a main under pressure or dry, insert or extract corporation valves up to 1" and pipe plugs to 2½". It can be used on all pipe from 2" through 48", including plain and cement lined cast iron or ductile iron, PVC, asbestos-cement and steel. A special mechanism on the B-101 Machine permits the boring bar to be locked to the feed yoke. This prevents the drill from spiraling into the hole before the cut has been completed, and the tool cannot drop to the threaded portion and cause breakage.

For more information about Mueller or to view our full line of water products, please visit www.muellerwp.com or call Mueller customer service at 1.800.423.1323.

Mueller refers to one or more of Mueller Water Products, Inc. a Delaware corporation ("MWP"), and its subsidiaries. MWP and each of its subsidiaries are legally separate and independent entities when providing products and services. MWP does not provide products or services to third parties. MWP and each of its subsidiaries are liable only for their own acts and omissions and not those of each other. MWP brands include Mueller®, Echologics®, Hydro Gate®, Hydro-Guard®, Jones®, Krausz®, Mi.Net®, Milliken®, Pratt®, Pratt Industrial®, Singer®, and U.S. Pipe Valve & Hydrant. Please see muellerwp.com/brands to learn more.

© 2020 Mueller Water Products, Inc. All Rights Reserved. The trademarks, logos and service marks displayed in this document are the property of Mueller Water Products, Inc., its affiliates or other third parties. Products above marked with a section symbol (§) are subject to patents or patent applications. For details visit www.mwppat.com.