


1 2 3 4 5 6

| ITEM NO | PART NUMBER | QTY | DESCRIPTION | MATERIAL |
|---------|-------------|-----|-----------------------------------|-----------------------|
| 1 | 548402 | 1 | EXPANDER RING | CLASS 30-35 GRAY IRON |
| 2 | 548404 | 1 | PLASTIC INNER FROST LID | MARINE GRADE POLYMER |
| 3 | 548834 | 1 | RING AND COVER WITH NO TOUCH-READ | CLASS 30-35 GRAY IRON |



| | | | |
|---|--|---|--|
| INTERPRET THIS DRAWING IN ACCORDANCE WITH ASME Y14.5 2018 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. MACHINING TOLERANCES: .X ±.1 .XX ±.015 .XXX ±.005 ANGULAR CORNER BREAK FINISH ±1" .015/.025 125 µin. RA | | NAME: AOS DATE: June-09-25 THIRD ANGLE PROJECTION | |
| MATERIAL: STK NUMBER: | | TITLE: Ø30" X Ø20" EXTENSION RING LID | |
| TITLE TO AND OWNERSHIP OF THIS ENGINEERING DATA REMAINS IN Mueller Co. ASSENT ON THE PART OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED. | | DO NOT SCALE DRAWING ○ = CRITICAL () = REFERENCE | SIZE: B DWG. NUMBER: 3020H10814 REV: B |
| REF.NO. | | SCALE: 0.111 WT: | SHEET 1 OF 1 |

| REVISIONS | | | | | |
|-----------|-----|-----------------|----------|---------|----------|
| REV | ECR | DESCRIPTION | DRAWN BY | DATE | APPROVED |
| A | | DRAWING CREATED | AOS | 6/09/25 | |

1 2 3 4 5 6