


Standard Features:


- Real-time water quality data management log
- Weather-proof protective enclosure, mounting system and weather-proof fittings; multiple access doors
- Hydro-Guard flushing system (model to be determined through consultation)
- 120 volt AC power
- Dechlorination
- Sampling port

Options and Accessories:


- Ground fixed-post mounted or mobile trailer mounted system
- On-site data storage
- Enclosure tamper alert system/notification
- High wattage space heater for cold climates; Heat tape for added freeze protection
- Communication Options: Cellular, Ethernet, 900mHz or 2.4GHz, WiFi, or BlueTooth®
- Water flow detection or flow metering
- Multiple water quality sensors available (pH, turbidity, temperature, flow, pressure, and chlorine)



HG-7 with S.M.A.R.T. technology



Low-Profile S.M.A.R.T. unit
(with multi-parameter water quality sensors)



HG-8 with S.M.A.R.T. technology



Mueller Co., LLC
1200 Abernathy Rd., Suite 1200
Atlanta, GA 30328
www.muellercompany.com

Toll Free: 1.800.423.1323
Canada: 1.705.719.9965
moreinfo@muellercompany.com

Copyright © 2017 Mueller Co., LLC. All Rights Reserved.

The trademarks, logos and service marks displayed in this document herein are the property of Mueller Co., LLC, its affiliates or other third parties. Products above marked with a section symbol (§) are subject to patents or patent applications. For details, visit www.mwppat.com. These products are intended for use in potable water applications. Please contact your Mueller Sales or Customer Service Representative concerning any other application(s).

Form 12756 - Rev 11/17