


No.	DESCRIPTION	MATERIAL
1	STEM	NO LEAD BRASS ALLOY
2	O-RING	EPDM D2000
3	BALL	NO LEAD BRASS ALLOY
4	GASKET - SEAL	EPDM D2000
5	BODY	CAST NO LEAD BRASS ALLOY
6	END PIECE	CAST NO LEAD BRASS ALLOY
7	O-RING	EPDM D2000
8	CAP	CAST BRASS ASTM B62 ALLOY C83600
9	HANDLE	CAST BRASS ASTM B62 ALLOY C83600
10	SOLID PIN	AISI 303 STAINLESS STEEL
11	SADDLE NUT	CAST BRASS ASTM B62 ALLOY C83600
12	SNAP RING	COPPER ALLOY CDA521
13	RUBBER GASKET	NITRILE D2000
14	MACH SCREW	AISI 304 STAINLESS STEEL
15	HEX LOCKNUT	AISI 18-8 STAINLESS STEEL

SIZE	A	B	C	D	E
1"	1.00	4.17	3.72	2.57	1.15



ALL WETTED PARTS ARE NO LEAD BRASS ALLOY

FILEPATH: PROD-ENG\MUELLER\ASYSUBMITTALS\B243514113N

DRFTR	RWB	4/24/17	<b>MUELLER</b>	UNLESS OTHERWISE NOTED THIRD ANGLE PROJECTION SURFACE PREPARATION: BREAK CORNER(S) ---- .000 SURFACE FINISH -- XX RMS TOLERANCE(S): LINEAR ----- ± .000 ANGULAR ----- ± 0°00'	
CHKR					
ENGR					
MGR					
	BY	DATE	REF. No.	SCALE	
				FULL	
	STK No:				
	MAT'L:				
	DESCR.	1" INLINE 360° BALL METER VALVE NLB (PLAIN NUT MTR x FIP)		DWG NUMBER B243514113N	
REV	ECR	DESCRIPTION	DATE	BY	CHKR
PER EST NO: DXXXX EST FIN WT = 0.0000 lbs					

DWG NUMBER  
 B243514113N  
 442 -MRKTNG

TITLE TO AND OWNERSHIP OF THIS ENGINEERING  
 DATA REMAINS IN Mueller Co. NO USE IS TO BE  
 MADE OF THIS DATA EXCEPT AS SPECIFICALLY  
 AUTHORIZED BY Mueller Co. ASSENT ON THE PART  
 OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED