





SEE CAT. RECORD FOR RESPECTIVE PARTS OR SUB. ASSEMBLIES.

OPEN LEFT
APPROXIMATELY 17-1/4 TURNS TO OPEN.
OP. NUT DIMENSIONS PER CUSTOMER SPECS.
STANDARD 1-1/2 PENT.

* - NOT SHOWN



NOZZLE INFORMATION
1-PUMPER NOZZLE
(4-1/2" NST)
2-HOSE NOZZLE
(2-1/2" NST)

NOTES:
1. REFERENCE DIMENSIONS ONLY.
ACTUAL DIMENSIONS MAY VARY WITH
TIGHTNESS OF CAP.
2. SUBMITTAL DRAWING INTENDED
FOR INFORMATIONAL PURPOSES ONLY.

PROJE (MILLIMETER) INCH		TOLERANCES - MACHINING UNLESS OTHERWISE NOTED		THIRD ANGLE PROJECTION 	
INITIAL RELEASE		BREAK EDGES FINISH SURFACES			
DFTFR JBC 6/5/18 CHK'R JBC 6/5/18 APP JBC 6/5/18		MACH. ±.006/0.016 125 		PURCH. FINISH	
		FRACTIONS DECIMALS ANGLES ±1/64 2 PL ±.025 ±° 3 PL ±.010		REF. NO. SCALE 0.333	
E.O. NUMBER E04155				STK. NO.	
		MAT'L DESCR. 5-1/4" A-403HP MUELLER CENTURION HYDRANT		REVISION NUMBER C FH-10018 SHEET 1 OF 1	

C	ADD ALTERNATE STANDARD TO ITEM#1, 4, 14, 18, 34, 36, 37, CHANGE #43 NITRILE TO NATURAL, ADD ADDITIONAL MATERIAL DESCRIPTION IN HEADING	EO4618-7	ANC	SGR	JBC	9-30-20
B	MODIFY ITEM 6, 30, 45, AND 52; ADD ITEM 60 TO TABLE	EO4466	JBC	ANC	JBC	4/11/19
A	UPDATE CHART: ITEM 6, 9, 17, 21, 25, 27, 28, 30, 31, 33, 41, 45, 48, 49, AND 52	EO4335	JBC			9/18/18
REV.	DESCRIPTION	REF.	DRFT-1	CHK-1	APP.	DATE

TITLE TO AND OWNERSHIP OF THIS ENGINEERING DATA REMAINS IN MUELLER Co. NO USE IS TO BE MADE OF THIS DATA EXCEPT AS SPECIFICALLY AUTHORIZED BY MUELLER Co. ASSENT ON THE PART OF THE RECIPIENT OF THESE CONDITIONS IS PRESUMED.



