



No.	DESCRIPTION	MATERIAL
1	STEM	LOW LEAD BRASS ALLOY
2	O-RING	EPDM D2000
3	BALL	LOW LEAD BRASS ALLOY
4	GASKET - SEAL	NITRILE D2000
5	BODY	CAST LOW LEAD BRASS ALLOY
6	O-RING	EPDM D2000
7	END PIECE	CAST LOW LEAD BRASS ALLOY
8	CAP	CAST BRASS ASTM B62 ALLOY C83600
9	SOLID PIN	AISI 303 STAINLESS STEEL
10	SADDLE NUT	CAST BRASS ASTM B62 ALLOY C83600
11	RUBBER GASKET	NITRILE D2000
12	PJ CTS GSKT	BUNA N ASTM D2000
13	PJ WASHER	POLYPROPYLENE
14	COMPRESSION RING	BRASS ASTM B505 ALLOY C83600
15	COMPRESSION NUT	CAST BRASS ASTM B62 ALLOY C83600

SIZE	øA	B	C	D	E
5/8x3/4R	.720	1.140	1.719	2.120	3.839
5/8x3/4	.720	1.140	1.719	2.323	4.042
5/8x3/4x3/4R	.720	1.140	1.719	2.120	3.839
5/8x3/4x3/4	.720	1.140	1.719	2.323	4.042
1R	1.000	1.140	2.125	2.323	4.448
1	1.000	1.455	2.125	2.617	4.742

ALL WETTED PARTS ARE LOW LEAD BRASS ALLOY
 FILEPATH: PROD-ENG\MUELLER\ASYSUBMITTALS\G24273N

DWG NUMBER
G24273N
 442-MRKTNG

TITLE TO AND OWNERSHIP OF THIS ENGINEERING DATA REMAINS IN Mueller Co. NO USE IS TO BE MADE OF THIS DATA EXCEPT AS SPECIFICALLY AUTHORIZED BY Mueller Co. ASSENT ON THE PART OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED

DRFTR	RWB	10/2/18	Mueller Co.		
CHKR					
ENGR					
MGR					
UNLESS OTHERWISE NOTED			THIRD ANGLE PROJECTION		
SURFACE PREPARATION:			REF. No. SCALE		
BREAK CORNER(S) ---- .000			NONE		
SURFACE FINISH -- XX RMS					
TOLERANCE(S):					
LINEAR ----- ± .000					
ANGULAR ----- ± 0°00'					
BY DATE					
STK No:					
MAT'L:					
DESCR.			DWG NUMBER		
LLB BALL ANGLE METER BALL VALVE			G24273N		
(CTS GRIP x CI)					
REV	ECR	DESCRIPTION	DATE	BY	CHKR
PER EST NO: DXXXX EST FIN WT = 0.0000 lbs					