


No.	DESCRIPTION	MATERIAL
1	BODY	CAST NO LEAD BRASS ALLOY
2	CAP	CAST BRASS ASTM B62 ALLOY C83600
3	STEM	NO LEAD BRASS ALLOY
4	ROLL PIN	STAINLESS STEEL
5	O-RING	EPDM ASTM D2000
6	GASKET - SEAL	TEFLON
7	BALL	NO LEAD BRASS ALLOY
8	O-RING	EPDM ASTM D2000
9	END PIECE	CAST NO LEAD BRASS ALLOY
10	PJ GASKET	ASTM D2000 (BUNA N)
11	PJ WASHER	POLYPROPYLENE
12	PJ CPLG NUT	CAST BRASS ASTM B62 ALLOY C83600

SIZE	ØA	B	C	D
1"	1.00	4.92	1.16	2.84
1-1/2"	1.50	5.50	1.66	3.46
2"	2.00	6.59	1.82	3.78

ALL WETTED PARTS ARE NO LEAD BRASS ALLOY

FILEPATH: PROD-ENG\MUELLER\ASYSUBMITTALS\V25225N

						DRFTR	RWB	5/12/20	MUELLER		UNLESS OTHERWISE NOTED SURFACE PREPARATION: BREAK CORNER(S) ---- .000 SURFACE FINISH -- XX RMS TOLERANCE(S): LINEAR ----- ± .000 ANGULAR ----- ± 0°00'		THIRD ANGLE PROJECTION  REF. No. SCALE FULL	
									BY	DATE				
									STK No:					
									MAT'L:					
									DESCR.	INLINE NLB DRAINING BALL VALVE IPS PVC-PJ x IPS PVC-PJ		DWG NUMBER V25225N		
REV	ECR	DESCRIPTION	DATE	BY	CHKR	PER EST NO: DXXXX EST FIN WT = 0.00000 lbs								

TITLE TO AND OWNERSHIP OF THIS ENGINEERING DATA REMAINS IN Mueller Co. NO USE IS TO BE MADE OF THIS DATA EXCEPT AS SPECIFICALLY AUTHORIZED BY Mueller Co. ASSENT ON THE PART OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED

DWG NUMBER
V25225N